



SWIFTSPACE | ENSEMBLE




BENEFITS

Swiftspace is designed for flexibility, productivity, reducing costs, saving time and removing pain-points.



No loose parts to manage.



Minimal tools required.



No installers needed - it's DIY easy.



Reduce costs.



Installs in minutes, not hours




No punch list saves time.

Scope of Product

Ensemble is a highly customizable, all-in-one, mobile solution. It is **non-folding but designed to fit through any standard doorway***. It comes in various widths, on casters that swivel and lock.

Breadth of Offering

- Ensemble back panels come in 34" (889mm), 46" (1168mm) and 58"W (1473mm)
- Ensemble frames are 25"W (635mm) and 77"H (1956mm)
- A fully assembled Ensemble will be 25"D (635mm), 77"H (1956mm) and either 36" (914mm), 48" (1219mm) or 60"W (1524mm) - Frames add 2"
- Accessories include but are not limited to; shelves, worksurfaces, hanging bar, light, storage trough, Ezobord privacy panels, whiteboard accessories, etc.
- Shelves are 11"D (279mm) and match the width of the chosen back panel
- Worksurfaces are 24"D (610mm) and match width of chosen back panel
- Worksurfaces for Open Desk are 30"D (762mm) and can be 34" (889mm), 46" (1168mm) and 58"W (1473mm)
- Back panel finishes include any of the 16 standard laminates, or writable whiteboard



System Engineering

- Ensemble is **equipped with heavy-duty 650lb steel ball bearing casters with rubber wheels that are designed to go over thresholds, dockplates and other rough terrain without damage***.
- Ensemble shelves can support weights of up to 50lbs
- Ensemble worksurfaces can support weights of up to 300lbs

Construction


- Ensemble back panels are constructed using 3/8" (10mm) honeycomb interiors that are proven to be rigid but lightweight.
- 24"D (610mm) worksurfaces are 1" (25mm) thick high pressure laminate with a 45lb density particleboard core, 0.08" (2mm) edging.
- 24"D worksurfaces have a recess at the back to allow for ease of running cables and cords.
- 30"D (762mm) Worksurfaces are 1" (25mm) thick high pressure laminate with a 45lb density particleboard core, 0.08" (2mm) edging.
- 30"D (762mm) Worksurfaces have a grommet to allow for ease of running cables and cords.
- Shelves are 3/4" (19.05mm) thick high pressure laminate with a 45lb density particleboard core, 0.08" (2mm) edging
- Casters are 2.5" (63.5mm) in diameter with grey non-marking rubber wheels that swivel and lock. Each caster can be adjusted 1/2" (12.7mm) for leveling.

Installation and Warranty

- Can be installed or serviced directly by the user or any common furniture installer and not violate or void any product warranty. Installation will not require any tools or professional training.
- Ensemble can be shipped fully assembled OR can be shipped flat-packed and configured on site - reducing shipping costs.
- For product warranty please see Conditions of Sale, Return Policy, and Warranty in the Specification and Price Guide

Electrical

- Power can be handled on an individual station basis using a table top mount powerbar with a 10ft power cord.



**Key product feature*

***All Swiftspace workstations have been tested and meet ANSI/BIFMA standards.*