


SWIFTSPACE | FUSED



BENEFITS

Swiftspace is designed for flexibility, productivity, reducing costs, saving time and removing pain-points.



No loose parts to manage.



Minimal tools required.



No installers needed - it's DIY easy.



Reduce costs.



Installs in minutes, not hours



No punch list saves time.

Scope of Product

Fused is a single surface station available in various combinations of wall heights and lengths. It is non-folding, but fits through standard doorways. Walls are HPL hollow core panels available in 16 standard colours. Fused is mobile, with casters that swivel and lock. Integrated storage is available, and so are power/data trough add-ons.

Breadth of Offering

- Fused comes in standard lengths of 48 (1219mm), 60 (1524mm), 66" (1676mm) and 72" (1828mm). Custom lengths are available.
- Fused heights are: 39" (990mm), 50" (1270mm) and 63" (1600mm).
- Fused stations are 26" (660mm) deep overall with 24" (610mm) deep worksurfaces.
- Worksurfaces can be height adjustable with a range of 21.9"-48.1" (556mm - 1222mm) powered by a bluetooth controller or can be fixed height (set at 29"H (737mm) standard or custom height if requested).
- Upper panel add-on options include whiteboard, fabric tackboards, and Ezo sound-dampening panels.
- Accessories include but are not limited to; hanging accessory rails with paper trays, pen holders and binder holders as well as stick-on magnetic whiteboards, monitor arms, CPU holders, keyboard arms and transaction countertops.
- For additional height and privacy requirements, panel extenders can be added. Panel extender come in acrylic, Ezo or laminate finishes.
- Storage options include but are not limited to; hanging Box/File pedestals, built-in side cabinets, overheads (63"H (1600mm) only), freestanding pedestals, and towers.



System Engineering

- Other than freestanding storage and clip on accessories, **all component parts are fully assembled at the factory into the workstation.***
- **Fused is equipped with heavy-duty steel ball bearing casters with rubber wheels that are designed to go over thresholds, dockplates and other rough terrain without damage.***
- **As a single surface station, Fused is designed to fit through doorways and so does not fold up.***

Construction

- Fused stations walls are constructed using 3/8" (9.525mm) honeycomb interiors that are proven to be rigid but lightweight.
- Worksurfaces are 1" (25.4mm) thick high pressure laminate with a 45lb density particleboard core, .08" (2.032mm) edging. Options for powdercoated, thermoformed, and solid surface available upon request.
- All worksurfaces have a recess at the back along with a grommet to allow for ease of running cables and cords.
- Metal plates at the base of the station connects the side and back panels together to provide a very durable platform. This platform is used to attach the height adjustable mechanism when applicable.
- Castors are 2.5" (63.5mm) in diameter with grey non-marking rubber wheels that swivel and lock. They can be removed and replaced with adjustable glides that have 1" (25.4mm) of height adjustment for surface leveling on uneven floors

Installation and Warranty

- Can be installed or serviced directly by the user or any common furniture installer and not violate or void any product warranty. Installation will not require any tools or professional training.
- Entire product, including casters and hardware have a minimum warranty of 5 years.
- Station ships full assembled on casters; the entire station will be one unit with no separate pieces, except for any mobile storage or some accessories that are to be attached after installation.

Electrical

- A power/data rail can be added to the lower back of the station. The raceway has 2 channels; the top channel is used to run power cables or hardwired power while the bottom (metallically separated from the top) can support up to 40 CAT6 data cables or phone lines.
- Power can be handled on an individual station basis using a detachable powerbar with a 15ft power cord.



**Key Product Feature*

***All Swiftspace workstations have been tested and meet ANSI/BIFMA standards.*